

**CVS HEALTH ALL PURPOSE KIT- isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzocaine**  
**CVS Pharmacy Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**CVS Health All Purpose Kit**

**Active Ingredient**

Isopropyl Alcohol, 70% v/v

**Purpose**

Antiseptic

**Use**

For preparation of skin before injection.

**Warnings**

For external use only.

Flammable - keep away from fire or flame

**Do not use**

- in the eyes
- with electrocautery procedures

**Stop use and ask a doctor if**

- irritation and redness develop
- condition persists for more than 72 hours

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Wipe Injection site vigorously and discard.

**Other Information**

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

**Inactive Ingredient**

purified water

## **ACTIVE INGREDIENTS**

Bacitracin Zinc 400 units

Neomycin Sulfate 5mg ( equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

## **PURPOSE**

First Aid Antibiotic

## **USE**

First aid to help prevent infection in minor cuts, scrapes, and burns.

## **WARNINGS**

For external use only.

## **DO NOT USE**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

## **Ask a doctor before use if you have**

- deep puncture wounds
- animal bites
- serious burns

## **STOP USE AND ASK A DOCTOR IF**

Symptoms persist for more than 7 days or clear up and occur again within a few days.

## **KEEP OUT OF REACH OF CHILDREN**

if swallowed, get medical help or contact a Poison Control Center right away

## **Directions**

- adults and children 2 year of age and older: clean the affected area; apply a small amount to the area 1-3 times daily; may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

## **Inactive Ingredients**

mineral oil, petrolatum

## **ACTIVE INGREDIENTS**

Benzocaine, 6%

SD alcohol, 60%

**PURPOSE**

Topical Analgesic  
Antiseptic

**USE**

temporarily relieves pain and itching due to minor stings and insect bites

**WARNINGS**

For external use only.

Flammable, keep away from fire or flame.

**DO NOT USE**

- over large areas of the body
- in the eyes
- on broken skin or deep puncture wounds

**STOP USE AND ASK A DOCTOR IF**

condition worsens or if symptoms persist for more than 7 days or clears up and occurs again within a few days.

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- adults and children 2 year of age and older: apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult a doctor

**OTHER INFORMATION**

Store at room temperature

**INACTIVE INGREDIENT**

Purified water

**ACTIVE INGREDIENTS**

Benzalkonium Chloride 0.13%  
Lidocaine HCL 0.5%

**PURPOSE**

First Aid Antiseptic  
Topical Analgesic

**USES**

- temporary relief of pain associated with minor burns
- helps protect against harmful bacteria

**WARNINGS**

For external use only.

**DO NOT USE**

- in the eyes
- in large quantities
- on animal bites, serious burns, deep puncture wounds, raw surfaces, or blistered areas
- for more than one week unless directed to do so by a doctor

**STOP USE AND ASK A DOCTOR IF**

- condition worsens
- if symptoms persist for more than 7 days or clears up and occurs again within a few days

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- adults and children 2 years of age and older: clean the affected area; apply a small amount to the area 1-3 times daily; may be covered with a sterile bandage (let dry first).
- children under 2 years of age: consult a doctor

**INACTIVE INGREDIENTS**

glycerin monostearate, glycerol, purified water, sodium dodecyl sulfate

Easy Care First Aid® Skin Cleansing Alcohol Wipe

Responsibly made in China for:

Tender Corporation

944 Industrial Park Rd.

Littleton, NH 03561

[easycarefirstaid.com](http://easycarefirstaid.com)

1 single use wipe

<b>Drug Facts</b>	
<b>Active ingredient</b> Isopropyl Alcohol, 70% v/v	<b>Purpose</b> Antiseptic
<b>Use</b> for preparation of the skin before injection	
<b>Warnings</b> For external use only. <b>Flammable: keep away from fire or flame.</b> <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. <b>Do not use</b> ■ in the eyes ■ with electrocautery procedures. <b>Stop use and ask a doctor if</b> ■ irritation or redness develop ■ condition persists more than 72 hours.	
<b>Directions</b> wipe injection site vigorously and discard.	
<b>Other information</b> Store at room temperature 15°-30° C (59°-86° F)	
<b>Inactive ingredient</b> Purified Water	

LOT:

**PRINCIPAL DISPLAY PANEL**

Easy Care First Aid

Triple Antibiotic Ointment

Responsibly Made in China for:

Tender Corporation

Littleton, NH 03561

easycarefirstaid.com

NDC 44224-0010



Responsibly made in China for:



944 Industrial Park Rd.  
Littleton, NH 03561  
easycarefirstaid.com



1 single use wipe  
ART - 5020-1300-1

NDC 44224-0013 Net Wt. 1/32 oz (0.9 g)

**EASY CARE**   
**first aid**<sup>®</sup>

**Triple Antibiotic  
Ointment**

Responsibly Made in China for:



Littleton, NH 03561

[easycarefirstaid.com](http://easycarefirstaid.com)

**Drug Facts**

**Active ingredients Purpose**  
*(in each gram)*

Bacitracin 400 units	} First Aid Antibiotic
Neomycin 3.5 mg	
Polymyxin B 5000 units	

**Use** First aid to help prevent infection in minor cuts, scrapes and burns

**Drug Facts** *(continued)*

**Warnings**

**For external use only.**

**Do not use** ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body

**Ask a doctor before use if you have**

■ deep puncture wounds ■ animal bites  
■ serious burns

**Stop use and ask a doctor if** symptoms persist for more than 7 days or clears up and occurs again within a few days.

**Keep out of reach of children.** If

swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 2 years of age and older: clean the affected area; apply a small amount to the area 1-3 times daily; may be covered with a sterile bandage ■ children under 2 years of age: consult a doctor

**Inactive ingredients** mineral oil, petrolatum

ART - 5010-0125-1

**LOT:**

After Bite Wipe Insect Sting Relief

1 single use wipes

Responsibly made in China for:

Tender Corporation

944 Industrial park Rd.

Littleton, NH

[afterbite.com](http://afterbite.com)

**Drug Facts** (continued)

**Warnings**

For external use only.

**Flammable, keep away from fire or flame**

**Do not use** ■ over large areas of the body ■ in the eyes  
■ on broken skin or deep puncture wounds

**Stop use and ask a doctor if** condition worsens or if symptoms persist for more than 7 days or clears up and occurs again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. ■ children under 2 years of age: consult a doctor

**Other information** Store at room temperature

**Inactive ingredient** Purified Water

ART - 0005-3623-0

LOT:

NDC 44224-0014

**After Bite** WIPE

**Insect Sting Relief**

1 single use wipe

Responsibly made in China for:

944 Industrial Park Rd.

Littleton, NH 03561

 **Tender**  
CORPORATION

[afterbite.com](http://afterbite.com)

**Drug Facts**

**Active ingredients**

Benzocaine 6%

SD Alcohol 60%

**Purpose**

Topical Analgesic

Antiseptic

**Use** temporarily relieves pain and itching due to minor stings and insect bites

**PRINCIPAL DISPLAY PANEL**

Easy Care First Aid

AfterBurn Cream

Serious Treatment for Burns

Responsibly Made in China for

Tender Corporation

Littleton, NH 03561

[afterburnrelief.com](http://afterburnrelief.com)

NDC 44224-0012 Net Wt. 1/32 oz (0.9 g)

**EASY CARE**   
**first aid**<sup>®</sup>

**AfterBurn**<sup>®</sup> CREAM

**Serious Treatment for Burns**

Responsibly Made in China for:

 **Tender**  
CORPORATION

Littleton, NH 03561  
afterburnrelief.com

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Benzalkonium-Chloride 0.13%	First Aid Antiseptic
Lidocaine-hydrochloride 0.5%	Topical Analgesic

**Uses** ■ temporary relief of pain associated with minor burns ■ helps protect against harmful bacteria

**Drug Facts** (continued)

**Warnings**

**For external use only.**

**Do not use** ■ in the eyes ■ in large quantities ■ on animal bites, serious burns, deep puncture wounds, raw surfaces or blistered areas ■ for more than one week unless directed to do so by a doctor

**Stop use and ask a doctor if**

■ condition worsens ■ if symptoms persist for more than 7 days or clears up and occurs again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 2 years of age and older: clean the affected area; apply a small amount to the area 1-3 times daily; may be covered with a sterile bandage (let dry first)  
■ children under 2 years of age: consult a doctor

**Inactive ingredients** glycerin monostearate, glycerol, purified water, sodium dodecyl sulfate

ART - 5020-0210-1  
LOT:

**CVS HEALTH ALL PURPOSE KIT**

isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzocaine kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-419
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-419-01	1 in 1 KIT; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)	09/01/2019	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	12 POUCH	6 mL
Part 2	3 TUBE	2.7 g
Part 3	3 PACKAGE	3000 mg
Part 4	2 PACKET	1.8 g

## Part 1 of 4

### EASY CARE FIRST AID SKIN CLEANSING ALCOHOL WIPE

isopropyl alcohol swab

#### Product Information

Item Code (Source) NDC:44224-0010

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0010-0	0.5 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/02/2019	

## Part 2 of 4

### EASY CARE FIRST AID TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

**Product Information**

<b>Item Code (Source)</b>	NDC:44224-0013
---------------------------	----------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0013-4	0.9 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/01/2019	

**Part 3 of 4****AFTER BITE WIPE INSECT STING RELIEF**

benzocaine,alcohol swab

**Product Information**

<b>Item Code (Source)</b>	NDC:44224-0014
---------------------------	----------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mg in 100 mg
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mg in 100 mg

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0014-1	1000 mg in 1 PACKAGE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/01/2019	

**Part 4 of 4****EASY CARE FIRST AID AFTERBURN**

benzalkonium chloride, lidocaine cream

**Product Information**

Item Code (Source)	NDC:44224-0012
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0012-1	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/01/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/01/2019	

**Labeler** - CVS Pharmacy Inc (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
Tender Corporation		064437304	manufacture(69842-419)

Revised: 9/2019

CVS Pharmacy Inc